

## SCENARIO FOR CLIMATE CHANGE MITIGATION FOR TWO BIG CITIES IN CENTRAL JAVA, INDONESIA

Evi Gravitiani<sup>1\*</sup>, Suryanto<sup>1</sup>, Rosalina<sup>2</sup>

<sup>1</sup>*Faculty of Economics and Business, Sebelas Maret University, Central Java, Indonesia*

<sup>2</sup>*Magister of Economics and Development Studies Program, Faculty of Economics and Business, Sebelas Maret University, Central Java, Indonesia*

### ABSTRACT

This research aimed to map the poor climate condition of cities in Central Java, Indonesia and formulate alternative scenarios for climate-change mitigation. Geographic Information System (GIS) for mapping the condition and Benefit-Cost Analysis (BCA) for formulating the alternative scenarios were used. The scenarios were planting trees and developing city forests in Semarang and Surakarta. This research contributed to empirical study, methodology, and policy implications. The findings were related to spatial analysis and alternative scenarios for climate-change adaptation. The spatial analysis performed with GIS showed that several big cities were more polluted than other areas in Central Java Province. This result justified why this empirical study was focused on these areas. The Benefit-Cost Analysis showed the alternative scenarios proposed. The policy implication should be executed by considering the proposed scenarios.

*Keywords:* Alternative scenarios; Benefit cost analysis; Climate change; Geographic information system; Mitigation

### 1. INTRODUCTION

Climate change occurs as a natural process, and human activities are involved in this process. The rise of earth's temperature causes ice to melt resulting in sea level rise, variability in nature temperature, and global warming. It causes arid paddy fields, damaged ecosystem, clean water shortage, biodiversity degradation, forest fires, and disease. Stern (2007) said that climate change is a part of economic problems. When developed countries ignore the emission effects, it is estimated that the loss is 14 per cent of global Gross Domestic Product (GDP) in the 21st century. The replacement cost is about two to five per cent, and adaptation cost is 0.5 per cent of developed countries' GDP.

Indonesia has 132.4 million hectares of forest for CO<sub>2</sub> (carbon sink) reserve. Forest is important because it shares 85 percent on emissions. Community involvement is done by reforestation and tree planting.

This research focused on people's Willingness to Pay (WTP) for climate-change impacts in urban areas. WTP is also used to analyze individual characteristics and personal motives related to other people's interest and alternative to avoid the risk.

Previous studies on mapping by Saptutyningsih and Suryanto (2009), Sen, et al. (2010), Yusuf, et al. (2010), and Cowelland Zeng (2003) used GIS to map areas vulnerable to

---

\*Corresponding author's email: e\_gravity2000@yahoo.com

flood in Daerah Istimewa Yogyakarta province, typhoon, climate change in Southeast Asia, and modelling of vulnerability of weather change, respectively.

Le Van An, et al. (2006) conducted research on community participation to overcome typhoon. Socio-economic condition has significant influence on decision-making process by stakeholders. Sen, et al. (2010) found the gap on need and socio-economic condition to overcome the disaster. The community condition influences its ability to adapt.

Vulnerability to climate change in South East Asia mostly occurs in regions with low to middle income levels (Yusuf and Fancisco, 2010). Dell, et al. (2008) used panel data to analyze the impact of long-term climate change. This study found that the impact impaired economic growth in poor countries.

Choice Modelling (CM) was used by Chaisemartin & Mahe (2009) to estimate people's awareness to pay for planting trees as a climate-change mitigation strategy. Roson (2003) used Computable General Equilibrium (CGE) to perform an economic analysis on climate change. Cost-Benefit Analysis (CBA) and Multi Criteria Analysis (MCA) were used by Brouwer and Van Ek (2004) to control floods. The study indicated that traditional control is more effective than technical control such as building a new dam.

## **2. METHODOLOGY/ EXPERIMENTATION**

### **2.1. Geographic Information System (GIS)**

Geographic Information System (GIS) is a set of hardware, software, geographical and personal data that shows information on geographical reference. GIS can be used for various purposes such as accessing potential risk (Connors, 2006), identifying earthquake and tsunami in airports and harbours (Wood and Good, 2004), and estimating social vulnerability on earthquakes (Rashed, 2003) and rainfall characteristics to minimize risk (Dai, 2003). Parson, et al. (2004), Zenger (2002), and Cowell and Zeng (2003) used GIS to identify flood risk and mitigation and the risk model.

In this study, GIS was used to map the areas vulnerable to climate change in two big cities in Central Java Province, Surakarta and Semarang. GIS is a set of computers, software, geographical data, and operators. It is designed to collect, save, update, manipulate, analyze, and show spatial information. Every region has unique and potential risk that can be accessed by GIS. GIS maps the information of climate condition in urban areas by geometric coordinates, identifies the relation between several objects in the map, and processes geometric attributes in spatial content.

### **2.2. Benefit cost analysis (BCA)**

Benefit Cost Analysis (BCA) is used to choose mitigation alternatives. It is useful to simulate the policy of flood mitigation in vulnerable areas. Mitigation projects were selected based on the availability of funding, time, and human resources. Maximum benefit and optimum cost are major consideration of project choices because they are related to the constraint of investment capability.

Analysis on investment criteria can be done by mutually exclusive alternative project and cross over discount rate analysis. Mutually exclusive alternative project is the activity of selecting one project due to some constraints. Cross over discount rate analysis is a tool for choosing one project if the social opportunity cost (SOCR) as a discount factor is difficult to calculate. BCA on investment analysis needs several criteria such as:

### 2.2.1. Net Present Value (NPV)

NPV is discounted net benefit, with SOCR of capital as discount factor.

$$NPV = \sum_{i=1}^n NB_i (1+i)^{-n} \quad (1)$$

or

$$NPV = \sum_{i=1}^n \frac{NB_i}{(1+i)^n} \quad (2)$$

or

$$NPV = \sum_{i=1}^n \overline{B}_i - \overline{C}_i = \sum_{i=1}^n \overline{NB}_i \quad (3)$$

Where:

NB = Net benefit = Benefit – Cost

C = Investment cost + Operation cost = discounted benefit= discounted cost

i = discount factor

n = time (year)

Criteria:

NPV > 0 (zero) → project is feasible

NPV < 0 (zero) → project is not feasible

NPV = 0 (zero) → project is on Break Even Point condition

Total Revenue = Total Cost, in present value

NPV estimation needs investment data, operation and maintenance costs, and benefit.

### 2.2.2. Internal Rate of Return (IRR)

IRR is discount rate of NPV = 0 (zero).

If IRR > SOCC → project is feasible

If IRR < SOCC → project is not feasible

If IRR = SOCC → project is on Break Even Point condition,

NPV<sub>1</sub> and NPV<sub>2</sub> are needed to determine IRR, by a trial and error method. If NPV<sub>1</sub> is positive, the second discount factor must be higher than SOCC, and vice versa. IRR lies between the positive and negative values of NPV.

$$IRR = i_1 + \frac{NPV_1}{(NPV_1 - NPV_2)} (i_2 - i_1) \quad (4)$$

in which  $i_1$  = discount rate of NPV<sub>1</sub>

$i_2$  = discount rate of NPV<sub>2</sub>

### 2.2.3. Net Benefit Cost Ratio (Net B/C)

Net B/C is the ratio of positive discounted net benefit to negative discounted net benefit.



$$NetB / C = \frac{\sum_{i=1}^n N\overline{B}_i(+)}{\sum_{i=1}^n N\overline{B}_i(-)} \tag{5}$$

If:

Net B/C > 1 → project is feasible


Net B/C < 1 → project is not feasible

Net B/C = 1 → project is on Break Even Point condition, cash inflows = cash outflows

### 3. RESULTS


#### 3.1. Analysis of Study Area

Based on the survey, in Surakarta air, NO<sub>2</sub> content was 24.32 µg/Nm<sup>3</sup>, SO<sub>2</sub> was 6.91 µg/Nm<sup>3</sup>, and O<sub>3</sub> was 3.73 µg/Nm<sup>3</sup> on average. They were below the threshold level of 316 µg/Nm<sup>3</sup> for NO<sub>2</sub>, 632 µg/Nm<sup>3</sup> for SO<sub>2</sub>, and 200 µg/Nm<sup>3</sup> for O<sub>3</sub>. The survey was conducted in 15 monitoring points as shown in Figure 1.



Source: estimation of secondary data, 2015  
 Figure 1. Spatial Mapping of NO<sub>2</sub> and SO<sub>2</sub> in Surakarta

In Semarang, NO<sub>2</sub> content in the air was 165.94 µg/Nm<sup>3</sup> and SO<sub>2</sub> was 0.10 µg/Nm<sup>3</sup> in average. They were also below the threshold levels. The survey was conducted in four monitoring stations as shown in Figure 2.



Source: estimation of secondary data, 2015  
 Figure 2. Spatial Mapping of NO<sub>2</sub> and SO<sub>2</sub> in Semarang

### 3.2. Benefit Cost Analysis

Benefit is estimated from pollutants' price conversion of NO<sub>2</sub> and SO<sub>2</sub>. NO<sub>2</sub> content was 24.32 µg/Nm<sup>3</sup> and SO<sub>2</sub> was 6.91 µg/Nm<sup>3</sup>, which were two per cent of the threshold for NO<sub>2</sub> (316 µg/Nm<sup>3</sup>) and four per cent of SO<sub>2</sub> (632 µg/Nm<sup>3</sup>). The conversion price was IDR 0.13 for NO<sub>2</sub> and IDR 0.25 for SO<sub>2</sub> per ton. The price was based on CO price, which was US\$ 6 per ton. Benefit estimation is calculated through tree absorptions multiplied by the conversion price of NO<sub>2</sub> and SO<sub>2</sub>. The total benefit was IDR 1,925,466 in Surakarta and IDR 5,774,028 in Semarang.

The cost was estimated using seed price and conservation. NO<sub>2</sub> absorbent trees were raintree (*trembesi*) (TR), red acalypha (*akalipa*) (AM), and red mussaenda (*nusaindah*) (NM). The seed prices were IDR 25,000 for raintree, IDR 31,000 for red acalypha, and IDR 100,000 for red mussaenda. SO<sub>2</sub> absorbent trees were *jambu daun lebar* (JM), *kolak* (KL) and *ficus* (FC). The seed prices were IDR 50,000 for *jambu daun lebar*, IDR 85,000 for *kolak*, and IDR 3,500 for *ficus*.

In Surakarta, the total cost for seeds of NO<sub>2</sub> absorbent trees was IDR 156,000 and IDR 883,600 for SO<sub>2</sub> absorbent trees. The cost was estimated by calculating the number of trees and their ability to absorb pollutants. In Semarang, the total cost for seeds was IDR 450,000, comprising IDR 156,000 for NO<sub>2</sub> absorbent trees and IDR 294,500 for SO<sub>2</sub> absorbent trees. The cost for conservation was IDR 4,417,500 for five districts in Surakarta and IDR 8,970,028 for 16 districts in Semarang. The estimation of Benefit-Cost Analysis is shown in Table 1 for Surakarta and Table 2 for Semarang.

Table 1. Benefit Cost Analysis for Surakarta.

	BENEFIT	COST	B/C	NB	DF (12%)	NPV (12%)	DF (13%)	NPV (13%)	IRR	BCR
Year 1	1,925,466	5,417,500	0.36	(3,492,034)	0.892	(3,114,895)	0.885	(3,090,450)	12.502	
Year 2	1,925,466	500,000	3.85	1,425,466	0.797	1,136,096	0.783	1,116,140	12.504	
Year 3	1,925,466	500,000	3.85	1,425,466	0.712	1,014,932	0.693	987,848	12.507	
Year 4	1,925,466	500,000	3.85	1,425,466	0.635	905,171	0.613	873,811	12.509	
Year 5	1,925,466	500,000	3.85	1,425,466	0.567	808,239	0.543	774,028	12.511	
	9,627,329	7,417,500	3.15			<b>749,543</b>		<b>661,376</b>	<b>12.531</b>	<b>1.133</b>

Source: estimation, 2015

Table 2. Benefit Cost Analysis for Semarang.

	BENEFIT	COST	B/C	NB	DF (12%)	NPV	DF (13%)	NPV (13%)	IRR	BCR
Year 1	25,039,661	25,640,000	0.98	(600,339)	0.892	(535,502)	0.885	(531,300)	12.502	
Year 2	25,039,661	1,600,000	15.65	23,439,661	0.892	20,908,178	0.885	20,744,100	12.502	
Year 3	25,039,661	1,600,000	15.65	23,439,661	0.797	18,681,410	0.783	18,353,255	12.504	
Year 4	25,039,661	1,600,000	15.65	23,439,661	0.635	14,884,185	0.613	14,368,512	12.509	
Year 5	25,039,661	1,600,000	15.65	23,439,661	0.567	13,290,288	0.543	12,727,736	12.511	
			10.76			<b>67,228,559</b>		<b>65,662,304</b>	<b>12.506</b>	<b>1.024</b>

Source: estimation, 2015

#### 4. CONCLUSION

The NO<sub>2</sub> and SO<sub>2</sub> contents in the Surakarta and Semarang air are below the threshold. Surveys are conducted in 15 monitoring stations in Surakarta and 4 stations in Semarang. Planting trees and city forest are one of the alternative scenarios for climate-change mitigation for the two big cities, Surakarta and Semarang, in Central Java Province. Estimation using Benefit Cost Analysis shows that this scenario is feasible in both cities.

#### 5. REFERENCES

- Clément De Chaisemartin;Thuriane Mahé. (2009). How to understand our willingness-to-pay to fight climate change? A choice experiment approach (cahier de recherche No. 2009-08). Paris.
- Cowell, P. J., & Zeng, T. Q. (2003). Integrating Uncertainty Theories with GIS for Modelling Coastal Hazards of Climate Change. *Marine Geodesy*, 26(1-2), 5–18.
- Dell, M., Jones, B. F., & Olken, B. A. (2008). Climate Change and Economic Growth: Evidence from the Last Half Century. National Bureau of Economic Research Working Paper Series, No. 14132.
- Dymond, R., Parson, S., & Herman, R. H. (2004). GIS Techniques for Flood Map Modernization and Hazard Mitigation Plans. In 2004 Esri International User Conference. Virginia Tech, Centre for Geospatial Information Technology, Blacksburg, VA, US.: San Diego, CA.
- Gravitiani, E. (2009). Valuasi Ekonomi Gas Buang Kendaraan Bermotor Terhadap Kesehatan Masyarakat di Kota Yogyakarta (Master's Thesis, Universitas Gadjah Mada, Yogyakarta, Indonesia).
- Harmoni, A. (2005). Dampak Sosial Perubahan Iklim. In Proceeding. Seminar Nasional PESAT. Jakarta: Universitas Gunadarma.
- Kuncoro, M. (2002). Analisis Spasial dan Regional: Studi Aglomerasi dan Kluster Industri Indonesia. Yogyakarta: UPP AMP YKPN.
- Kuosmanen, T., & Kortelainen, M. (2007). Valuing environmental factors in cost-benefit analysis using data envelopment analysis. *Ecological Economics*, 62(1), 56–65.
- Mitchell, R. C., & Carson, R. T. (1989). Using Surveys to Value Public Goods: The Contingent Valuation Method. Resources for the Future.
- Pollner, J. (2001). Catastrophe Risk Management: Using Alternative Risk Financing and Insurance Pooling Mechanisms (World Bank Policy Research Working Paper No. 2560). Washington, DC.



- Prahasta, E. (2009). Sistem Informasi Geografis Konsep-konsep Dasar (Perspektif Geodesi & Geomatika) (1st ed.). Bandung: Informatika.
- Pralahad, C. K. (2004). The Fortune at the Bottom of the Pyramid: Eradicating Poverty Through Profits (1st ed.). Wharton School Publishing.
- Rashed, T. M. G. E. (2003). Measuring the environmental context of social vulnerability to urban earthquake hazards: An integrative remote sensing and GIS approach (Ph.D's Thesis, University of California, Santa Barbara, United States of America).
- Roson, R. (2003). Modelling the Economic Impact of Climate Change (EcoMod2003 No. 330700127). EcoMod.
- Saptutyningsih, E., & Suryanto. (2009). Pemetaan dan Valuasi Ekonomi Bencana Banjir Daerah Istimewa Yogyakarta. Yogyakarta: Laporan Penelitian Hibah Bersaing DIKTI.
- Shen, Y., Zhu, Z., Li, L., Lv, Q., Wang, X., & Wang, Y. (2011). Analysis of household vulnerability and adaptation behaviours to typhoon Saomai, Zhejiang Province, China. Singapore: EEPSEA, IDRC Regional Office for Southeast and East Asia.
- Stern, N. H., & Treasury, G. B. (2007). The Economics of Climate Change: The Stern Review. (N. H. Stern, Ed.) (Reprint). Cambridge University Press.
- Suparmoko. (2006). Panduan dan Analisa Valuasi Ekonomi Sumberdaya Alam dan Lingkungan: Konsep, Metode Penghitungan, dan Aplikasi (1st ed.). Yogyakarta: BPFE.
- Watson, C. J. (1993). Statistics for Management and Economics (Quantitative Methods & Applied Statistics Series) (Fac Sub). Allyn and Bacon.
- Yusuf, A. A., & Francisco, H. (2009). Climate Change Vulnerability Mapping for Southeast Asia. EEPSEA Special and Technical Paper. Economy and Environment Program for Southeast Asia (EEPSEA).

# Scenario for Climate Change

*by* Suryanto Suryanto

---

**Submission date:** 10-Feb-2020 03:13AM (UTC+0700)

**Submission ID:** 1254071401

**File name:** 16.\_scenario\_for\_climate\_change\_mitigation\_evi.pdf (364.74K)

**Word count:** 2526

**Character count:** 12867



## SCENARIO FOR CLIMATE CHANGE MITIGATION FOR TWO BIG CITIES IN CENTRAL JAVA, INDONESIA

Evi Gravitiani<sup>1\*</sup>, Suryanto<sup>1</sup>, Rosalina<sup>2</sup>

<sup>1</sup>Faculty of Economics and Business, Sebelas Maret University Central Java, Indonesia

<sup>2</sup>Magister of Economics and Development Studies Program, Faculty of Economics and Business, Sebelas Maret University, Central Java, Indonesia

### ABSTRACT

This research aimed to map the poor climate condition of cities in Central Java, Indonesia and formulate alternative scenarios for climate-change mitigation. Geographic Information System (GIS) for mapping the condition and Benefit-Cost Analysis (BCA) for formulating the alternative scenarios were used. The scenarios were planting trees and developing city forests in Semarang and Surakarta. This research contributed to empirical study, methodology, and policy implications. The findings were related to spatial analysis and alternative scenarios for climate-change adaptation. The spatial analysis performed with GIS showed that several big cities were more polluted than other areas in Central Java Province. This result justified why this empirical study was focused on these areas. The Benefit-Cost Analysis showed the alternative scenarios proposed. The policy implication should be executed by considering the proposed scenarios.

*Keywords:* Alternative scenarios; Benefit cost analysis; Climate change; Geographic information system; Mitigation

### 1. INTRODUCTION

Climate change occurs as a natural process, and human activities are involved in this process. The rise of earth's temperature causes ice to melt resulting in sea level rise, variability in nature temperature, and global warming. It causes arid paddy fields, damaged ecosystem, clean water shortage, biodiversity degradation, forest fires, and disease. Stern (2007) said that climate change is a part of economic problems. When developed countries ignore the emission effects, it is estimated that the loss is 14 per cent of global Gross Domestic Product (GDP) in the 21st century. The replacement cost is about two to five per cent, and adaptation cost is 0.5 per cent of developed countries' GDP.

Indonesia has 132.4 million hectares of forest for CO<sub>2</sub> (carbon sink) reserve. Forest is important because it shares 85 percent on emissions. Community involvement is done by reforestation and tree planting.

This research focused on people's Willingness to Pay (WTP) for climate-change impacts in urban areas. WTP is also used to analyze individual characteristics and personal motives related to other people's interest and alternative to avoid the risk.

Previous studies on mapping by Saptutyingsih and Suryanto (2009), Sen, et al. (2010), Yusuf, et al. (2010), and Cowelland Zeng (2003) used GIS to map areas vulnerable to

\*Corresponding author's email: e\_gravity2000@yahoo.com

flood in Daerah Istimewa Yogyakarta province, typhoon, climate change in Southeast Asia, and modelling of vulnerability of weather change, respectively.

Le Van An, et al. (2006) conducted research on community participation to overcome typhoon. Socio-economic condition has significant influence on decision-making process by stakeholders. Sen, et al. (2010) found the gap on need and socio-economic condition to overcome the disaster. The community condition influences its ability to adapt.

Vulnerability to climate change in South East Asia mostly occurs in regions with low to middle income levels (Yusuf and Fancisco, 2010). Dell, et al. (2008) used panel data to analyze the impact of long-term climate change. This study found that the impact impaired economic growth in poor countries.

Choice Modelling (M) was used by Chaisemartin & Mahe (2009) to estimate people's awareness to pay for planting trees as a climate-change mitigation strategy. Roson (2003) used Computable General Equilibrium (CGE) to perform an economic analysis on climate change. Cost-Benefit Analysis (CBA) and Multi Criteria Analysis (MCA) were used by Brouwer and Van Ek (2004) to control floods. The study indicated that traditional control is more effective than technical control such as building a new dam.

## 2.21 METHODOLOGY/ EXPERIMENTATION

### 2.1. Geographic Information System (GIS)

Geographic Information System (GIS) is a set of hardware, software, geographical and personal data that shows information on geographical reference. GIS can be used for various purposes such as accessing potential risk (Connors, 2006), identifying earthquake and tsunami in airports and harbours (Wood and Good, 2004), and estimating social vulnerability on earthquakes (Rashed, 2003) and rainfall characteristics to minimize risk (Dai, 2003). Parson, et al. (2004), Zerger (2002), and Cowell and Zeng (2003) used GIS to identify flood risk and mitigation and the risk model.

In this study, GIS was used to map the areas vulnerable to climate change in two big cities in Central Java Province, Surakarta and Semarang. GIS is a set of computers, software, geographical data, and operators. It is designed to collect, save, update, manipulate, analyze, and show spatial information. Every region has unique and potential risk that can be accessed by GIS. GIS maps the information of climate condition in urban areas by geometric coordinates, identifies the relation between spatial objects in the map, and processes geometric attributes in spatial content.

### 2.2. Benefit cost analysis (BCA)

Benefit Cost Analysis (BCA) is used to choose mitigation alternatives. It is useful to simulate the policy of flood mitigation in vulnerable areas. Mitigation projects were selected based on the availability of funding, time, and human resources. Maximum benefit and optimum cost are major consideration of project choices because they are related to the constraint of investment capability.

Analysis on investment criteria can be done by mutually exclusive alternative project and cross over discount rate analysis. Mutually exclusive alternative project is the activity of selecting one project due to some constraints. Cross over discount rate analysis is a tool for choosing one project if the social opportunity cost (SOCR) as a discount factor is difficult to calculate. BCA on investment analysis needs several criteria such as:



29

### 2.2.1. Net Present Value (NPV)

NPV is discounted net benefit, with SOCR of capital as discount factor.

$$NPV = \sum_{i=1}^n NB_i (1+i)^{-n} \quad (1)$$

or

$$NPV = \sum_{i=1}^n \frac{NB_i}{(1+i)^n} \quad (2)$$

or

$$NPV = \sum_{i=1}^n \overline{B}_i - \overline{C}_i = \sum_{i=1}^n \overline{NB}_i \quad (3)$$

Where:

NB = Net benefit = Benefit – Cost

C = Investment cost + Operation cost = discounted benefit = discounted cost

i = discount factor

n = time (year)

Criteria:

NPV > 0 (zero) → project is feasible

NPV < 0 (zero) → project is not feasible

NPV = 0 (zero) → project is on Break Even Point condition

Total Revenue = Total Cost, in present value

NPV estimation needs investment data, operation and maintenance costs, and benefit.

20

### 2.2.2. Internal Rate of Return (IRR)

IRR is discount rate of NPV = 0 (zero).

If IRR > SOCC → project is feasible

If IRR < SOCC → project is not feasible

If IRR = SOCC → project is on Break Even Point condition,

NPV<sub>1</sub> and NPV<sub>2</sub> are needed to determine IRR, by a trial and error method. If NPV<sub>1</sub> is positive, the second discount factor must be higher than SOCC, and vice versa. IRR lies between the positive and negative values of NPV.

$$IRR = i_1 + \frac{NPV_1}{(NPV_1 - NPV_2)} (i_2 - i_1) \quad (4)$$

in which i<sub>1</sub> = discount rate of NPV<sub>1</sub>

i<sub>2</sub> = discount rate of NPV<sub>2</sub>

5

### 2.2.3. Net Benefit Cost Ratio (Net B/C)

Net B/C is the ratio of positive discounted net benefit to negative discounted net benefit.

$$NetB / C = \frac{\sum_{i=1}^n NB_i(+)}{\sum_{i=1}^n NB_i(-)} \tag{5}$$

If:

Net B/C > 1 → project is feasible


Net B/C < 1 → project is not feasible

Net B/C = 1 → project is on Break Even Point condition, cash inflows = cash outflows

### 3. RESULTS

#### 3.1. Analysis of Study Area

Based on the survey, in Surakarta air, NO<sub>2</sub> content was 24.32 μg/Nm<sup>3</sup>, SO<sub>2</sub> was 6.91 μg/Nm<sup>3</sup>, and O<sub>3</sub> was 3.73 μg/Nm<sup>3</sup> on average. They were below the threshold level of 316 μg/Nm<sup>3</sup> for NO<sub>2</sub>, 632 μg/Nm<sup>3</sup> for SO<sub>2</sub>, and 200 μg/Nm<sup>3</sup> for O<sub>3</sub>. The survey was conducted in 15 monitoring points as shown in Figure 1.




Source: estimation of secondary data, 2015  
 Figure 1. Spatial Mapping of NO<sub>2</sub> and SO<sub>2</sub> in Surakarta

In Semarang, NO<sub>2</sub> content in the air was 165.94 μg/Nm<sup>3</sup> and SO<sub>2</sub> was 0.10 μg/Nm<sup>3</sup> in average. They were also below the threshold levels. The survey was conducted in four monitoring stations as shown in Figure 2.







Source: estimation of secondary data, 2015  
Figure 2. Spatial Mapping of NO<sub>2</sub> and SO<sub>2</sub> in Semarang

**3.2. Benefit Cost Analysis**

Benefit is estimated from pollutants’ price conversion of NO<sub>2</sub> and SO<sub>2</sub>. NO<sub>2</sub> content was 24.32 µg/Nm<sup>3</sup> and SO<sub>2</sub> was 6.91 µg/Nm<sup>3</sup>, which were two per cent of the threshold for NO<sub>2</sub> (316 µg/Nm<sup>3</sup>) and four per cent of SO<sub>2</sub> (632 µg/Nm<sup>3</sup>). The conversion price was IDR 0.13 for NO<sub>2</sub> and IDR 0.25 for SO<sub>2</sub> per ton. The price was based on CO price, which was US\$ 6 per ton. Benefit estimation is calculated through tree absorptions multiplied by the conversion price of NO<sub>2</sub> and SO<sub>2</sub>. The total benefit was IDR 1,925,466 in Surakarta and IDR 5,774,028 in Semarang.

The cost was estimated using seed price and conservation. NO<sub>2</sub> absorbent trees were raintree (*trembesi*) (TR), red acalypha (*akalipa*) (AM), and red mussaenda (*nusaindah*) (NM). The seed prices were IDR 25,000 for raintree, IDR 31,000 for red acalypha, and IDR 100,000 for red mussaenda. SO<sub>2</sub> absorbent trees were *jambu daun lebar* (JM), *kolak* (KL) and *ficus* (FC). The seed prices were IDR 50,000 for *jambu daun lebar*, IDR 85,000 for *kolak*, and IDR 3,500 for *ficus*.

In Surakarta, the total cost for seeds of NO<sub>2</sub> absorbent trees was IDR 156,000 and IDR 883,600 for SO<sub>2</sub> absorbent trees. The cost was estimated by calculating the number of trees and their ability to absorb pollutants. In Semarang, the total cost for seeds was IDR 450,000, comprising IDR 156,000 for NO<sub>2</sub> absorbent trees and IDR 294,500 for SO<sub>2</sub> absorbent trees. The cost for conservation was IDR 4,417,500 for five districts in Surakarta and IDR 8,973,1028 for 16 districts in Semarang. The estimation of Benefit-Cost Analysis is shown in Table 1 for Surakarta and Table 2 for Semarang.

Table 1. Benefit Cost Analysis for Surakarta.

	BENEFIT	COST	B/C	NB	DF (12%)	NPV (12%)	DF (13%)	NPV (13%)	IRR	BCR
Year 1	1,925,466	5,417,500	0.36	(3,492,034)	0.892	(3,114,895)	0.885	(3,090,450)	12.502	
Year 2	1,925,466	500,000	3.85	1,425,466	0.797	1,136,096	0.783	1,116,140	12.504	
Year 3	1,925,466	500,000	3.85	1,425,466	0.712	1,014,932	0.693	987,848	12.507	
Year 4	1,925,466	500,000	3.85	1,425,466	0.635	905,171	0.613	873,811	12.509	
Year 5	1,925,466	500,000	3.85	1,425,466	0.567	808,239	0.543	774,028	12.511	
	9,627,329	7,417,500	3.15			749,543		661,376	12.531	1.133

Source: estimation, 2015



Table 2. Benefit Cost Analysis for Semarang.

	BENEFIT	COST	B/C	NB	DF (12%)	NPV	DF (13%)	NPV (13%)	IRR	BCR
22										
Year 1	25,039,661	25,640,000	0.98	(600,339)	0.892	(535,502)	0.885	(531,300)	12.502	
Year 2	25,039,661	1,600,000	15.65	23,439,661	0.892	20,908,178	0.885	20,744,100	12.502	
Year 3	25,039,661	1,600,000	15.65	23,439,661	0.797	18,681,410	0.783	18,353,255	12.504	
Year 4	25,039,661	1,600,000	15.65	23,439,661	0.635	14,884,185	0.613	14,368,512	12.509	
Year 5	25,039,661	1,600,000	15.65	23,439,661	0.567	13,290,288	0.543	12,727,736	12.511	
			10.76			67,228,559		65,662,304	12.506	1.024

Source: estimation, 2015

#### 4. CONCLUSION

The NO<sub>2</sub> and SO<sub>2</sub> contents in the Surakarta and Semarang air are below the threshold. Surveys are conducted in 15 monitoring stations in Surakarta and 4 stations in Semarang. Planting trees and city forest are one of the alternative scenarios for climate-change mitigation for the two big cities, Surakarta and Semarang, in Central Java Province. Estimation using Benefit Cost Analysis shows that this scenario is feasible in both cities.

#### 13 REFERENCES

- Clément De Chaisemartin;Thuriane Mahé. (2009). How to understand our willingness-to-pay to fight climate change? A choice experiment approach (cahier de recherche No. 2009-08). Paris.
- 8 Cowell, P. J., & Zeng, T. Q. (2003). Integrating Uncertainty Theories with GIS for Modelling Coastal Hazards of Climate Change. *Marine Geodesy*, 26(1-2), 5–18.
- 3 Dell, M., Jones, B. F., & Olken, B. A. (2008). Climate Change and Economic Growth: Evidence from the Last Half Century. National Bureau of Economic Research Working Paper Series, No. 14132. 4
- Dymond, R., Parson, S., & Herman, R. H. (2004). GIS Techniques for Flood Map Modernization and Hazard Mitigation Plans. In 2004 Esri International User Conference. Virginia Tech, Centre for Geospatial Information Technology, Blacksburg, VA. 4 S.: San Diego, CA.
- Gravitiani, E. (2009). Valuasi Ekonomi Gas Buang Kendaraan Bermotor Terhadap Kesehatan Masyarakat di Kota Yogyakarta (Master's Thesis, Universitas Gadjah Mada, Yogyakarta, Indonesia).
- 24 Harmoni, A. (2005). Dampak Sosial Perubahan Iklim. In Proceeding. Seminar Nasional PESAT. Jakarta: Universitas Gunadarma.
- 16 Kuncoro, M. (2002). Analisis Spasial dan Regional: Studi Aglomerasi dan Kluster Industri Indonesia. Yogyakarta: UPP AMP YKPN.
- 12 Kuosmanen, T., & Kortelainen, M. (2007). Valuing environmental factors in cost-benefit analysis using data envelopment analysis. *Ecological Economics*, 62(1), 56–65. 14
- Mitchell, R. C., & Carson, R. T. (1989). Using Surveys to Value Public Goods: The Contingent Valuation Method. *Resources for the Future*.
- 11 Pollner, J. (2001). Catastrophe Risk Management: Using Alternative Risk Financing and Insurance Pooling Mechanisms (World Bank Policy Research Working Paper No. 2560). Washington, DC.



- 19 Prahasta, E. (2009). Sistem Informasi Geografis Konsep-konsep Dasar (Perspektif Ge6lesi & Geomatika) (1st ed.). Bandung: Informatika.
- Pralahad, C. K. (2004). The Fortune at the Bottom of the Pyramid: Eradicating Poverty 2 Through Profits (1st ed.). Wharton School Publishing.
- Rashed, T. M. G. E. (2003). Measuring the environmental context of social vulnerability to urban earthquake hazards: An integrative remote sensing and GIS approach (Ph.D's Thesis, University of California, Santa Barbara, United States of America. 23
- Roson, R. (2003). Modelling the Economic Impact of Climate Change (EcoMod2003 No. 330700127). 5coMod.
- Saptutyingsih, E., & Suryanto. (2009). Pemetaan dan Valuasi Ekonomi Bencana Banjir Daerah Istimewa Yogyakarta. Yogyakarta: Laporan Penelitian Hibah Bersaing DIKTI.
- 7 Shen, Y., Zhu, Z., Li, L., Lv, Q., Wang, X., & Wang, Y. (2011). Analysis of household vulnerability and adaptation behaviours to typhoon Saomai, Zhejiang Province, 18 China. Singapore: EEPSEA, IDRC Regional Office for Southeast and East Asia.
- Stern, N. H., & Treasury, G. B. (2007). The Economics of Climate Change: The Stern Review 17 N. H. Stern, Ed.) (Reprint). Cambridge University Press.
- Suparmoko. (2006). Panduan dan Analisa Valuasi Ekonomi Sumberdaya Alam dan Lingkungan: Konsep, Metode Penghitungan, dan Aplikasi (1st ed.). Yogyakarta: BPFE. 25
- Watson, C. J. (1993). Statistics for Management and Economics (Quantitative Methods 10 & Applied Statistics Series) (Fac Sub). Allyn and Bacon.
- Yusuf, A. A., & Francisco, H. (2009). Climate Change Vulnerability Mapping for Southeast Asia. EEPSEA Special and Technical Paper. Economy and Environment Program for Southeast Asia (EEPSEA).

# Scenario for Climate Change

---

## ORIGINALITY REPORT

---

**25%**

SIMILARITY INDEX

**20%**

INTERNET SOURCES

**15%**

PUBLICATIONS

**18%**

STUDENT PAPERS

---

## PRIMARY SOURCES

---

<b>1</b>	<b>Submitted to School of Business and Management ITB</b> Student Paper	<b>2%</b>
<b>2</b>	<b>journal.uii.ac.id</b> Internet Source	<b>2%</b>
<b>3</b>	<b>sedac.ciesin.columbia.edu</b> Internet Source	<b>1%</b>
<b>4</b>	<b>journal.umy.ac.id</b> Internet Source	<b>1%</b>
<b>5</b>	<b>id.123dok.com</b> Internet Source	<b>1%</b>
<b>6</b>	<b>www.emeraldinsight.com</b> Internet Source	<b>1%</b>
<b>7</b>	<b>www.seafdec.org.ph</b> Internet Source	<b>1%</b>
<b>8</b>	<b>pure.qub.ac.uk</b> Internet Source	<b>1%</b>
<b>9</b>	<b>Submitted to Colorado State University Fort</b>	



Collins  
Student Paper

1%

10

[aseanacademicnetwork.com](http://aseanacademicnetwork.com)  
Internet Source

1%

11

[documents.worldbank.org](http://documents.worldbank.org)  
Internet Source

1%

12

Submitted to University of Derby  
Student Paper

1%

13

[hal.archives-ouvertes.fr](http://hal.archives-ouvertes.fr)  
Internet Source

1%

14

[www.apeaweb.org](http://www.apeaweb.org)  
Internet Source

1%

15

[www.aacsb.net](http://www.aacsb.net)  
Internet Source

1%

16

[journal.unnes.ac.id](http://journal.unnes.ac.id)  
Internet Source

1%

17

[e-journals.unmul.ac.id](http://e-journals.unmul.ac.id)  
Internet Source

1%

18

[onlinelibrary.wiley.com](http://onlinelibrary.wiley.com)  
Internet Source

1%

19

[ojs.unimal.ac.id](http://ojs.unimal.ac.id)  
Internet Source

1%

20

[faculty.haas.berkeley.edu](http://faculty.haas.berkeley.edu)  
Internet Source

1%

---

21	<a href="http://egyankosh.ac.in">egyankosh.ac.in</a> Internet Source	1%
22	<a href="http://www.stewardshipontario.ca">www.stewardshipontario.ca</a> Internet Source	<1%
23	<a href="http://link.springer.com">link.springer.com</a> Internet Source	<1%
24	A Nurlatifah, S B Sipayung, B Siswanto. "Rainfall Scenario of West Nusa Tenggara in 2040 Based on CCAM RCP 4.5", IOP Conference Series: Earth and Environmental Science, 2019 Publication	<1%
25	<a href="http://www.coursehero.com">www.coursehero.com</a> Internet Source	<1%
26	Submitted to Lambung Mangkurat University Student Paper	<1%
27	<a href="http://preylang.net">preylang.net</a> Internet Source	<1%
28	<a href="http://de.slideshare.net">de.slideshare.net</a> Internet Source	<1%
29	Submitted to Intercollege Student Paper	<1%
30	<a href="http://espace.library.uq.edu.au">espace.library.uq.edu.au</a> Internet Source	<1%

---

31 [www.mitpressjournals.org](http://www.mitpressjournals.org) <1%

Internet Source

32 [www.tandfonline.com](http://www.tandfonline.com) <1%

Internet Source

33 "Handbook of Climate Change Mitigation and Adaptation", Springer Nature, 2017 <1%

Publication

34 Submitted to (school name not available) <1%

Student Paper

35 Submitted to Universitas Jenderal Soedirman <1%

Student Paper

36 Submitted to iGroup <1%

Student Paper

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off



LEMBAR  
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW  
KARYA ILMIAH : **PROSIDING** \*

- Judul Karya Ilmiah (paper) : Scenario for Climate Change Mitigation for Two Big Cities in Central Java, Indonesia  
 Jumlah Penulis : 3 Orang (Evi Gravitanian, **Suryanto**, Rosalina)  
 Status Pengusul : ~~Penulis pertama~~ / penulis ke 2/ ~~penulis korespondensi~~\*\*  
 Identitas Prosiding : a. Nama Prosiding : Disampaikan Pada : **4th International Conference On Sustainable Built Environment (ICSBE) 2016**  
 b. ISBN/ISSN : **2541-223X**  
 c. Tahun Terbit, Tempat Pelaksanaan : **UII Yogyakarta, 12 - 14 September 2016**  
 d. Penerbit/organiser : **ICSBE**  
 e. Alamat repository PT/web prosiding : <https://icsbe.uii.ac.id/4th-2016/01/downloads/archive/2016/TOPIC%203/8.%20SCENARIO%20FOR%20CLIMATE%20CHANGE%20MITIGATION%20FOR%20TWO%20BIG%20CITIES%20IN%20CENTRAL%20JAVA,%20INDONESIA.pdf>  
 f. Terindeks di (jika ada) :  
 Kategori Publikasi Makalah :  Prosiding Forum Ilmiah Internasional .....  
 (beri ~ pada kategori yang tepat)  Prosiding Forum Ilmiah Nasional .....

Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal <b>Prosiding 15</b>		Nilai Akhir Yang Diperoleh
	Internasional <input type="checkbox"/>	Nasional <input type="checkbox"/>	
a. Kelengkapan unsur isi paper (10%)	1.5		1
b. Ruang lingkup dan kedalaman pembahasan (30%)	4.5		4
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	4.5		3,5
d. Kelengkapan unsur dan kualitas terbitan/prosiding (30%)	4.5		3,5
<b>Total = (100%)</b>	<b>15</b>		<b>12</b>
<b>Nilai Pengusul = (40% x 12) / 2 = 2,4 (Penulis Kedua)</b>			

**Catatan Penilaian artikel oleh Reviewer :**

- a. Kelengkapan dan kesesuaian unsur isi artikel :  
 Kelengkapan dan kesesuaian unsur isi artikel sudah sesuai memenuhi kaidah ilmiah
- b. Ruang lingkup dan kedalaman pembahasan :  
 Ruang lingkup mengenai kesediaan membayar masyarakat untuk mengatasi perubahan iklim di wilayah perkotaan. Kedalaman pembahasan perlu ditambah referensi yang telah pernah dilakukan.
- c. Kecukupan dan pemutakhiran data/informasi dan metodologi :  
 Data yang digunakan perlu ditambah untuk menggambarkan atau mewakili penduduk kota, metodologi yang digunakan sudah memadai
- d. Kelengkapan unsur dan kualitas terbitan :  
 Kelengkapan unsur terpenuhi dan kualitas terbitan tidak diragukan karena diterbitkan oleh Procedia, Elsevier Ltd.
- e. Indikasi Plagiat :  
 Tidak ada indikasi plagiarisme
- f. Kesesuaian bidang ilmu :  
 Sesuai dengan bidang ilmu yang bersangkutan

Surakarta, 4 Juni 2020

Prof. Dr. Yunastiti Purwaningsih, M.P  
 NIP 19590613 198403 2 001  
 Jabatan : Guru Besar  
 Pangkat, Gol Ruang : Pembina Utama Madya/IVD  
 Unit Kerja : Fakultas Ekonomi UNS  
 Bidang Ilmu : Ekonomi Pertanian

\*Dinilai oleh dua Reviewer secara terpisah

\*\*Coret yang tidak perlu



LEMBAR  
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*  
KARYA ILMIAH : **PROSIDING** \*

Judul Karya Ilmiah (paper) : Scenario for Climate Change Mitigation for Two Big Cities in Central Java, Indonesia  
 Jumlah Penulis : 3 Orang (Evi Gravitiani, **Suryanto**, Rosalina)  
 Status Pengusul : ~~Penulis pertama~~ / penulis ke 2/ ~~penulis korespondensi~~ \*\*  
 Identitas Prosiding : a. Nama Prosiding : Disampaikan Pada : **4th International Conference On Sustainable Built Environment (ICSBE) 2016**  
 b. ISBN/ISSN : **2541-223X**  
 c. Tahun Terbit, Tempat Pelaksanaan : **UII Yogyakarta, 12 - 14 September 2016**  
 d. Penerbit/organiser : **ICSBE**  
 e. Alamat repository PT/web prosiding : <https://icsbe.uui.ac.id/4th-2016/01/downloads/archive/2016/TOPIC%203/8.%20SCENARIO%20FOR%20CLIMATE%20CHANGE%20MITIGATION%20FOR%20TWO%20BIG%20CITIES%20IN%20CENTRAL%20JAVA,%20INDONESIA.pdf>  
 f. Terindeks di (jika ada) :  
 Kategori Publikasi Makalah :  Prosiding Forum Ilmiah Internasional .....  
 (beri ~ pada kategori yang tepat)  Prosiding Forum Ilmiah Nasional .....

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal <b>Prosiding 15</b>		Nilai Akhir Yang Diperoleh
	Internasional <input type="checkbox"/>	Nasional <input type="checkbox"/>	
a. Kelengkapan unsur isi paper (10%)	1.5		1.5
b. Ruang lingkup dan kedalaman pembahasan (30%)	4.5		3.5
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	4.5		3.5
d. Kelengkapan unsur dan kualitas terbitan/prosiding (30%)	4.5		3.5
<b>Total = (100%)</b>	<b>15</b>		<b>12</b>
<b>Nilai Pengusul = (40% x 12) / 2 = 2.4 (Penulis Kedua)</b>			

**Catatan Penilaian artikel oleh Reviewer :**

- a. Kelengkapan dan kesesuaian unsur isi artikel :  
 Artikel ini ditulis dengan format yang sudah mengikuti guidelines dari panitia yaitu introduction, method and data analysis, result and conclusion. Isi artikel sesuai dengan judul dan materi yang di bahas cukup komprehensif
- b. Ruang lingkup dan kedalaman pembahasan :  
 Pembahasan tentang WTP terhadap perubahan iklim sudah cukup banyak dilakukan, namun apabila digabungkan dengan perencanaan pembuatan smart cities maka menjadi keterbaruan dari artikel ini. Hanya beberapa tulisan lain membahas dengan pokok bahasan yang sama dan alat analisis yang sama
- c. Kecukupan dan pemutakhiran data/informasi dan metodologi :  
 Alat analisis yang digunakan adalah penggabungan antara GIS dengan WTP yang sudah cukup sering digunakan namun tepat untuk kasus ini
- d. Kelengkapan unsur dan kualitas terbitan :  
 Artikel ini diterbitkan dalam proceeding dengan terbitan yang cukup bagus namun tidak terindeks scopus
- e. Indikasi Plagiat :  
 Hasil turn it in menunjukkan angka 25%, belum mengindikasikan plagiarisme
- f. Kesesuaian bidang ilmu :  
 Artikel ini merupakan ekonomi lingkungan yang sesuai dengan ilmu ekonomi pembangunan

Surakarta, ..... 10 JUN 2020 .....

Dr. Jzza Mafruhah, SE., M.Si  
 NIP 197203232002122001

Jabatan : Lektor Kepala  
 Pangkat, Gol Ruang : Pembina Tk.I /IV/b  
 Unit Kerja : Fakultas Ekonomi dan Bisnis  
 Bidang Ilmu : Ekonomi Pembangunan